

# Cost-aware Stopping for Bayesian Optimization

**Qian Xie**<sup>\*,1</sup>

Linda Cai<sup>\*,2</sup>

Alexander Terenin<sup>1</sup>


Peter I. Frazier<sup>1</sup>

Ziv Scully<sup>1</sup>

<sup>1</sup>Cornell University    <sup>2</sup>University of California, Berkeley

\*Equal contribution

ICML 2026



Qian Xie



Linda Cai



Alexander Terenin



Peter I. Frazier



Ziv Scully

# Cost-aware Bayesian optimization with adaptive stopping

We care about not only solution quality but also evaluation cost.

## Cost-aware Bayesian optimization



At evaluation  $t$ , fit a posterior model, choose  $x_t$ , observe  $f(x_t)$ , and incur evaluation cost  $c(x_t)$ .

## Real-world examples

**Hyperparameter tuning (AutoML):**  
train time / compute cost.



**Scientific discovery:** lab or simulation cost.



## Metric: cost-adjusted simple regret

$$R_c = \mathbb{E} \left[ \underbrace{\min_{1 \leq t \leq \tau} f(x_t) - \inf_{x \in \mathcal{X}} f(x)}_{\text{solution quality}} + \underbrace{\sum_{t=1}^{\tau} c(x_t)}_{\text{evaluation cost}} \right]$$

Balances final solution quality and cumulative evaluation cost up to stopping.

## Adaptive stopping

The stopping time  $\tau$  is chosen adaptively from data, rather than fixed in advance.

Active stopping can further improve cost-adjusted simple regret.

## Overview of existing stopping rules

Existing stopping rules do not fully account for varying evaluation costs.


Stopping rule family	Examples	Cost limitation
Simple heuristics	Best value unchanged for a few iterations; no statistically significant improvement	Cost does not directly enter.
Acquisition-based	PI / EI / KG falls below some threshold	Usually unit-cost or heuristic.
Regret-based	UCB-LCB, SRGap-med, PRB	Mainly tracks solution quality.

How can we design a stopping rule that adapts to varying evaluation costs?

# State-of-the-art cost-aware acquisition rules: PBGI and LogEIPC

Pandora's Box gives a principled way to incorporate evaluation costs.

## Gittins-index intuition



**Pandora's Box** (Weitzman'79): open the closed box with cost or take the opened box?

The Gittins index  $g$  is the value in the opened box such that one is indifferent between the two options.

## PBGI (Xie et al.'24)

$$\alpha_t^{\text{PBGI}}(x) = g \quad \text{where} \quad \text{EI}_t(x; g) = c(x).$$

The PBGI acquisition value is the fair value  $g$  such that expected improvement over  $g$  is worth the cost.

## LogEIPC (Snoek et al.'12; Ament et al.'23)

$$\alpha_t^{\text{LogEIPC}}(x; y_{1:t}^*) = \log(\text{EI}_t(x; y_{1:t}^*)/c(x)).$$

The LogEIPC acquisition value is the logarithm of expected improvement per cost.

**In Pandora's Box, the Gittins index naturally comes with a stopping rule. Can we bring this idea to Bayesian optimization?**

# PBGI/LogEIPC stopping rule

Stop when no point's expected improvement is worth its cost.

## Equivalent stopping conditions

$$\min_{x \in \mathcal{X} \setminus \{x_1, \dots, x_t\}} \alpha_t^{\text{PBGI}}(x) \geq y_{1:t}^* \iff \max_{x \in \mathcal{X} \setminus \{x_1, \dots, x_t\}} \alpha_t^{\text{LogEIPC}}(x; y_{1:t}^*) \leq 0$$


**PBGI:** point with best fair value already evaluated.

**LogEIPC:** no point's expected improvement is worth cost.


This recovers and generalizes an EI stopping rule under the unit-cost setting (Nguyen et al.'17).

## Illustration unit-cost example

Large cost-per-sample: stop sooner



Small cost-per-sample: continue longer



# Theoretical (safeguard) guarantee

Is our stopping rule theoretically sound, and when?


## Theorem 3.2: no worse than immediate stopping

$$\underbrace{\mathbb{E}\left[y_{1:\tau}^* - \min_{x \in \mathcal{X}} f(x) + \sum_{t=1}^{\tau} c(x_t)\right]}_{\text{our recommended pairs}} \leq \underbrace{\mathbb{E}\left[y_1 - \min_{x \in \mathcal{X}} f(x) + c(x_1)\right]}_{\text{immediate stopping}}$$

## Implication

- ▶ Recommended pairs: our stopping rule paired with PBGI or LogEIPC.
- ▶ Matches the best achievable performance in the worst case, when evaluations are all very costly.
- ▶ Avoids over-spending—a property many cost-unaware stopping rules lack.


## Illustration



# Empirical results: strong cost-performance trade-offs

## Is our stopping rule empirically good, and when?

### AutoML benchmarks: LCBench & NATS-Bench



### LCBench rank frequency

$\lambda$	Acq.	Top-3 large	Top-3 all
$10^{-3}$	PBGI	80.0%	60.0%
$10^{-3}$	LogEIPC	70.0%	62.8%
$10^{-4}$	PBGI	80.0%	62.9%
$10^{-4}$	LogEIPC	85.0%	68.7%
$10^{-5}$	PBGI	90.0%	74.4%
$10^{-5}$	LogEIPC	85.0%	71.5%

Large = datasets with more than 10,000 instances.

### Empirical takeaway

Our recommended pairs—our stopping rule with PBGI or LogEIPC—rank **Top-3 in 70–90%** of large LCBench tasks; PBGI is the most robust default under misspecification.

## Summary

We propose a cost-aware stopping rule for Bayesian optimization.

### Three takeaways

- ▶ Cost-adjusted simple regret makes the solution-quality/evaluation-cost trade-off explicit.
- ▶ Connection to Pandora's box gives a shared stopping rule for PBGI and LogEIPC: stop when no point's expected improvement is worth its cost.
- ▶ Our stopping rule paired with PBGI or LogEIPC has a safeguard guarantee and strong empirical performance.

**A practical recipe: acquire with PBGI or LogEIPC, stop by the PBGI/LogEIPC rule.**

### Paper / code

